UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/736,610	12/17/2003	Takehisa Mori	018961-066	4081
	7590 07/19/200' INGERSOLL & ROOM	EXAMINER		
POST OFFICE BOX 1404			DEAK, LESLIE R	
ALEXANDRIA, VA 22313-1404			ART UNIT	PAPER NUMBER
			3761	
			MAIL DATE	DELIVERY MODE
			07/19/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

•					
	Application No.	Applicant(s)			
	10/736,610	MORI ET AL.			
Office Action Summary	Examiner	Art Unit			
	Leslie R. Deak	3761			
The MAILING DATE of this communication Period for Reply	appears on the cover sheet w	ith the correspondence address			
A SHORTENED STATUTORY PERIOD FOR RE WHICHEVER IS LONGER, FROM THE MAILING  - Extensions of time may be available under the provisions of 37 CFF after SIX (6) MONTHS from the mailing date of this communication.  If NO period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by stany reply received by the Office later than three months after the meanned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNION At 1.136(a). In no event, however, may a region of the community of	CATION. reply be timely filed ITHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).			
Status		·			
1) Responsive to communication(s) filed on 1	<u>0 July 2007</u> .				
2a) This action is <b>FINAL</b> . 2b) ⊠ 1	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.				
3) Since this application is in condition for allo	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice unde	er <i>Ex parte Quayle</i> , 1935 C.D	). 11, 453 O.G. 213.			
Disposition of Claims					
4)⊠ Claim(s) <u>1-6 and 8-12</u> is/are pending in the	application.				
4a) Of the above claim(s) is/are with	drawn from consideration.				
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1,5,6,8, and 9</u> is/are rejected.					
7) Claim(s) <u>2-4 and 10-12</u> is/are objected to.					
8) Claim(s) are subject to restriction an	d/or election requirement.				
Application Papers					
9) The specification is objected to by the Exam	niner.				
10)⊠ The drawing(s) filed on 17 December 2003	is/are: a)⊠ accepted or b)□	] objected to by the Examiner.			
Applicant may not request that any objection to	the drawing(s) be held in abeyar	nce. See 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the cor	rection is required if the drawing	(s) is objected to. See 37 CFR 1.121(d).			
11) ☐ The oath or declaration is objected to by the	Examiner. Note the attached	d Office Action or form PTO-152.			
Priority under 35 U.S.C. § 119					
12)⊠ Acknowledgment is made of a claim for fore a)⊠ All b)□ Some * c)□ None of:	eign priority under 35 U.S.C. §	§ 119(a)-(d) or (f).			
1. Certified copies of the priority docum	1. Certified copies of the priority documents have been received.				
2. Certified copies of the priority documents have been received in Application No					
<ol> <li>Copies of the certified copies of the p</li> </ol>	priority documents have been	received in this National Stage			
application from the International Bu	* **				
* See the attached detailed Office action for a	list of the certified copies not	received.			
Attachment(s)					
1) Notice of References Cited (PTO-892)		Summary (PTO-413)			
<ul> <li>2) Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>3) Information Disclosure Statement(s) (PTO/SB/08)</li> </ul>		s)/Mail Date nformal Patent Application			
Paper No(s)/Mail Date	6) Other:	• •			

Application/Control Number: 10/736,610

Art Unit: 3761

#### **DETAILED ACTION**

Page 2

## Double Patenting

1. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Application/Control Number: 10/736,610 Page 3

Art Unit: 3761

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

2. Claims 1, 5, 6, 8, and 9 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1 and 15 of U.S. Patent No. 6,840,735 to Yaegashi et al. Although the conflicting claims are not identical, they are not patentably distinct from each other because the Yaegashi pump comprises all of the structural limitations of the instantly claimed blood pump. The Yaegashi pump fails to disclose the actions of the control mechanism as instantly claimed, but it is the position of the examiner that a controller that is capable of monitoring and supplying power to the electromagnets as claimed by Yeagashi is capable of being programmed to operate as claimed by applicant. Such a reprogramming fails to represent a patentable improvement over the Yaegashi device.

### Allowable Subject Matter

- 3. Claims 2-4 and 10-12 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims. Claims 1, 5, 6, 8, and 9 would be allowable over the prior art upon the submission of a Terminal Disclaimer as explained above.
- 4. The following is an examiner's statement of reasons for allowance: The prior art fails to disclose or suggest the pump comprising the combination of the housing,

Art Unit: 3761

impeller, hydrodynamic pressure groove, and electromagnet and permanent magnet as claimed by applicant, along with the other steps and limitations of the claims.

US 6,074,180 to Khanwilkar discloses a centrifugal levitating pump as claimed by applicant, but fails to disclose a hydrodynamic pressure groove located in the housing or the impeller, as claimed by applicant.

US 6,250,880 to Woodard discloses a hydrodynamically supported pump, but discloses neither the groove nor the specific arrangement of the magnets as claimed by applicant.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### Response to Arguments

5. Applicant's arguments, see After Final Amendment, filed 10 July 2007, with respect to the rejection(s) of claim(s) 1-6 and 8-12 under 35 USC 102 and 103 in view of US 6,074,180 to Khanwilkar have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of US 6,840,735 to Yaegashi et al.

Application/Control Number: 10/736,610

Art Unit: 3761

# Conclusion

Page 5

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leslie R. Deak whose telephone number is 571-272-4943. The examiner can normally be reached on M-F 7:30-5:00, every other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tanya Zalukaeva can be reached on 571-272-1115. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000

Leslie R. Deak

Patent Examiner Art Unit 3761 17 July 2007